

ORDINANCE NO: 2025-02-28-1

AN ORDINANCE OF THE BOARD OF TRUSTEES OF THE VILLAGE OF LOCH LLOYD, MISSOURI, APPROVING THE REZONING OF LAND WITHIN THE VILLAGE OF LOCH LLOYD, MISSOURI

WHEREAS, the Village of Loch Lloyd, Missouri (the "Village") has received an application from the property owner, S9-Redev, LLC, requesting that portions of their 74.9 acre property, generally described as all of Lot 19, Block 7 and portions of Tracts B, G, E, and I, of Loch Lloyd – First Plat, a subdivision within the Village of Loch Lloyd, Cass County, Missouri, and locally known as the Sechrest, be rezoned from Recreational and Open Space District (ROS) to Single Family Residential District (R-1) to accommodate the platting and development of 45 single family residential lots (see Attachment A for legal description of rezonings); and,

WHEREAS, the remaining areas of the Sechrest, including the areas identified as common area to be platted as tracts, would remain as currently zoned, ROS; and,

WHEREAS, the planning consultant hired on the behalf of the Village of Loch Lloyd, has reviewed this request and drafted two staff reports to the Planning and Zoning Commission that are dated October 10, 2024, and December 5, 2024 and staff reports to the Board of Trustees dated January 23, 2025, and February 19, 2025; and,

WHEREAS, on October 10, 2024, the Commission, after a duly called and noticed public hearing in accordance with the Village of Loch Lloyd's Unified Development Code, and after considering the views of all those who came before it, adopted a motion to continue the public hearing to a future meeting date and requested the applicant provide certain additional information.

WHEREAS, on December 5, 2024, the Commission, after a duly called and noticed public hearing in accordance with the Village of Loch Lloyd's Unified Development Code, and after considering the testimony of all those who came before it, voted to recommend to the Board of Trustees denial of the rezoning request.

WHEREAS, on January 23, 2025, the Board of Trustees of the Village of Loch Lloyd held a duly called and noticed public hearing, received and reviewed the recommendation of the Planning and Zoning Commission, and received and considered the public testimony of all those who came before it.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF TRUSTEES OF THE VILLAGE OF LOCH LLOYD, MISSOURI AS FOLLOWS:

SECTION 1. The land use master plan map and policies outlined in the adopted Land Use Master Plan, have been considered.

SECTION 2. The following findings have been made by the Board:

1. The requested rezoning considers and addresses the policy considerations as provided in the adopted Land Use Master Plan and the land use master plan map is hereby amended to be made consistent with the proposed rezoning.

2. The approval has been conditioned to ensure that there is adequate sanitary sewer and water service to serve the proposed development and to require the proper management of stormwater runoff.
3. The requested rezoning is suitable and consistent with the character of the surrounding neighborhoods.

SECTION 3. Land Use Master Plan Map is hereby amended to show the rezoning areas as Single Family Residential as part of this rezoning approval.

SECTION 4. The proposed rezoning as detailed in the staff report to the Board dated February 28, 2025, and as provided in the application, is approved and the official Zoning Map of the Village is hereby updated accordingly, subject to the following conditions of approval:

1. Prior to the approval of any plats and the start of any construction, the applicant shall enter into a Development Agreement, as presented, with the Village of Loch Lloyd which among other requirements includes (1.) identify phasing and timing of the development, (2.) provide financial surety to guarantee the graded areas are restored and the proposed trail improvements, landscaping, and berming is constructed and installed in a timely manner, and (3.) provide a guarantee the remaining areas of the Sechrest are maintained to an appropriate level including regular mowing and irrigation of lawn areas, control of weeds, and maintenance of the trees and sidewalks. A copy of the Development Agreement is attached hereto, incorporated herein and made a condition of any rezoning of the properties included in the application.
2. Prior to the start of any construction or issuance of any building permits, the applicant shall submit the required Preliminary Plat and Final Plat applications, plat maps, stormwater management plan, erosion control plan, grading plan, construction plans, confirmation of all necessary access easements for the new driveways and the new street to the existing roadways, and other documentation as required and obtain approvals for the same from the Village Board of Trustees following review by the Village Planning and Zoning Commission.
3. The applicant and developer shall agree to monitor the streets being used for construction access and agree to remove any soil or debris deposited on the streets and repair any damage to the streets as a result of construction activity.

**PASSED AND APPROVED BY THE BOARD OF TRUSTESS OF THE VILLAGE OF LOCH LLOYD,
MISSOURI, THIS 28TH DAY OF FEBRUARY 2025.**

Randal L. Schultz
Chairperson

ATTEST:

Anthony Lafata
Village Clerk

ATTACHMENT A

LEGAL DESCRIPTIONS

AREA 1

All that part of Tract B, LOCH LLOYD - FIRST PLAT, lying South of Suffolk Lane, a private drive, as now established, and lying Southeasterly of Country Club Drive, a private drive, as now established, all in the Northeast Quarter of Section 8, Township 46 North, Range 33 West, in the Village of Loch Lloyd, Cass County, Missouri, being more particularly described by Edward K. Dannewitz, LS-2664 on this 21st day of June, 2024, as follows:

(Note: The bearing system in the following description is based on Grid North, Missouri State Plane Coordinate System, West Zone, NAO 83.)

Beginning at the Southeast corner of LOCH LLOYD, PHASE 1-82, a subdivision in the Village of Loch Lloyd, Cass County, Missouri, according to the recorded plat thereof, also being the intersection of the West right-of-way line of Holmes Road, as it currently exists, with the South Line of said Suffolk Lane; thence S 06°01'26" W with said West right-of-way line of Holmes Road, a distance of 25.43 feet to the Northeast corner of Tract II of Warranty Deed recorded in Book 203 at Page 18; thence N 39°03'28" W, with the North line of said Tract II of Warranty Deed recorded in Book 2032 at Page 18, a distance of 15.73 feet to the Northwest corner of said Tract II; thence S 06°01'26" W with the West line of said Tract II of Warranty Deed recorded in Book 2032 at Page 18, a distance of 74.89 feet; thence continuing with said West line of Tract II, S 06°01'12" W, a distance of 97.18 feet; thence N 75°49'22" W and no longer with said West line of Tract II, a distance of 100.73 feet; thence N 76°34'10" W, a distance of 89.64 feet; thence N 75°59'54" W, a distance of 85.20 feet; thence N 75°45'48" W, a distance of 82.46 feet; thence N 74°47'27" W, a distance of 88.46 feet; thence N 75°21'09" W, a distance of 64.00 feet; thence S 37°23'04" W, a distance of 111.11 feet; thence S 47°23'08" W, a distance of 103.28 feet; thence S 54°12'59" W, a distance of 103.76 feet; thence S 57°40'06" W, a distance of 107.61 feet; thence S 68°03'54" W, a distance of 109.05 feet; thence S 09°45'51" W, a distance of 92.88 feet; thence S 35°22'27" West, a distance of 73.66 feet; thence S 23°00'20" W, a distance of 14.99 feet; thence S 05°27'52" W, a distance of 58.16 feet; thence S 01°30'11" W, a distance of 62.15 feet; thence S 04°44'12" E, a distance of 63.92 feet; thence S 13°49'12" E, a distance of 75.09 feet; thence S 68°49'47" W, a distance of 149.85 feet, to a point in the Southeasterly line of said Country Club Drive, as it currently exists; thence Northeasterly with said Southeasterly line of Country Club Drive, on a curve to the right, having a Chord Bearing of N 15°26'34" East, a Chord Distance of 203.43 feet, a Radius of 382.00 feet, an Arc Distance of 205.92 feet; thence Northeasterly, continuing with said Southeasterly line of Country Club Drive, on of a curve to the right, having a Chord Bearing of N 09°17'34" East, a Chord Distance of 154.05 feet, a Radius of 477.00 feet, an Arc Distance of 154.73 feet; thence N 18°35'07" East, continuing with said Southeasterly line of Country Club Drive, a distance of 33.98 feet; thence Northeasterly, along a curve to the right, continuing along said Southeasterly line of Country Club Drive, having a Chord Bearing of N 31°21'58" E, a Chord Distance of 97.34 feet, a Radius of 220.00 feet, an Arc Distance of 98.15 feet; thence N 44°08'49" East, continuing along said Southeasterly line of Country Club Drive a distance of 43.29 feet; thence Northeasterly, along a curve to the left, continuing along said Southeasterly line of Country Club Drive, having a Chord Bearing of N 42°33'19" E, a Chord Distance of 101.69 feet, a Radius of 1830.28 feet, an Arc Distance of 101.70 feet; thence Northeasterly continuing with said Southeasterly line of Country Club Drive, on the arc of said curve to the right, having a Chord Bearing of N 47°06'30" East, a Chord Distance of 36.40 feet, a Radius of 170.00 feet, and Arc Distance of 36.47; thence N 53°15'12" E continuing with said Southeasterly line

of Country Club Drive, a distance of 244.87 feet; thence Northeasterly continuing with said Southeasterly line of Country Club Drive, Having a Chord Bearing of N 41°21'32" E, a Chord Distance of 321.53 feet, a Radius of 780.00 feet, an Arc Distance of 323.86 feet to the intersection with said South line of Suffolk Lane; thence S 63°27'42" E along said South line of Suffolk Lane, a distance of 30.02 feet; thence Easterly, continuing along said South line of Suffolk Lane, on a curve to the left, having a Chord Bearing of S 70°02'35" E, a Chord Distance of 52.72 feet, a Radius 230.00 feet, an Arc Distance of 52.84 feet; thence continuing along said South line of Suffolk Lane, S 76°37'32" E, a distance of 316.39 feet to a point of curvature; thence Easterly, continuing with said South line of Suffolk Lane, on a curve to the left, having a Chord Bearing of S 80°18'14" E, a Chord Distance of 100.08 feet, a Radius of 780.00 feet, an Arc Distance of 100.15 feet; thence continuing with said South line of Suffolk Lane, S 83°58'56" E, a distance of 84.16 feet to the Point of Beginning. The above- described tract contains 254,656.29 square feet, or 5.85 acres, more or less.

AREA 2

All of Lot 19, Block 7 and all that part of Tract G, LOCH LLOYD - FIRST PLAT, a subdivision in the Village of Loch Lloyd, Cass County, Missouri, according to the recorded plat thereof, lying South of Highland Ridge, a private drive, as now established, and lying Westerly of Country Club Drive, a private drive, as now established, all in the Northeast Quarter of Section 8, Township 46 North, Range 33 West, being more particularly described by Edward K. Dannewitz, LS 2664 on this 24th day of June, 2024, as follows:

(Note: The bearing system in the following description is based on Grid North, Missouri State Plane Coordinate System, West Zone, NAO 83.)

Beginning at the Northwest corner of said Lot 19, Block 7, LOCH LLOYD - FIRST PLAT at a point of curvature; thence Easterly and Southeasterly with the Northerly line of said Lot 19, along a curve to the right, having a Chord Bearing of S 89°34'54" E, a Chord Distance of 158.80 feet, a Radius of 290.00 feet, and Arc Distance of 160.86 feet; thence Southeasterly, continuing along said Lot 19 and the Northerly line of said Tract G, along a curve to the right, having a Chord Bearing of S 46°44'58" E, a Chord Distance of 231.98 feet, a Radius of 256.00 feet, an Arc Distance of 231.98 feet; thence Southerly, along the Easterly line of said Tract G, along a curve to the right, having a Chord Bearing of S 09°17'40" East, a Chord Distance of 178.81 feet, a Radius of 490.00 feet, an Arc Distance of 179.81 feet; thence S 01°13'08" W continuing with said Easterly line, a distance of 140.69 feet; thence Southerly, along a curve to the left, having a Chord Bearing of S 00°00'48" East, a Chord Distance of 9.89 feet, a Radius of 230.00 feet, and Arc Distance of 9.89 feet, to the Northeast corner of Lot 20, Loch Lloyd Phase Three-Replat, Block 7, a subdivision in the Village of Loch Lloyd, Cass County, Missouri, according to the recorded plat thereof; thence S 88°45'15" W, along the Northerly line of said Lot 20 and its extension thereof, a distance of 140.00 feet; thence N 01°55'25" W, a distance of 129.56 feet; thence N 06°58'57" W, a distance of 112.65 feet; thence N 17°54'54" West, a distance of 76.67 feet; thence N 61°27'13" W, a distance of 73.35 feet; thence N 66°28'43" W, a distance of 55.24 feet to the Southwesterly corner of said Lot 19, Block 7; thence N 26°27'18" W with the Westerly line of said Lot 19, a distance of 134.05 feet to the Point of Beginning. The above-described tract contains 86,168.26 square feet, or 1.98 acres, more or less.

AREA 3

All that part of Tract E, LOCH LLOYD - FIRST PLAT, according to the recorded plat thereof, lying South of NO NAME ROAD, a private drive, as now established and described in Warranty Deed recorded in Book 4096 at Page 153, lying Westerly of HIGHLAND RIDGE, a private drive, as now established, lying North of lots 27 thru 29, Block 9, LOCH LLOYD- FIRST PLAT, and lying East of Lots 1-A2-24 and 1-A2-25, LOCH LLOYD, PHASE 1-A2, according to the recorded plat thereof, all in the North Half of Section 8, Township 46 North, Range 33 West, in the Village of Loch Lloyd, Cass County, Missouri, being more particularly described by John Aaron Copelin, LS-2005019232 on this 7th day of December 2022, as follows:

(Note: The bearing system in the following description is based on Grid North, Missouri State Plane Coordinate System, West Zone, NAO 83. Holding the bearing of East Line of Lot 1-A2-24, LOCH LLOYD, PHASE 1-A2.)

Beginning at the Northeast corner of said Lot 27, Block 9, LOCH LLOYD - FIRST PLAT; thence N 82°31'53" W (N 82°35'35" W= Plat) with the North line of said lots 27 and 28, Block 9, LOCH LLOYD - FIRST PLAT, a distance of 340.02 feet (340.00'= Plat) to the Northeast corner of said Lot 29, Block 9, LOCH LLOYD - FIRST PLAT; thence N 85°13'18" W (N 85°04'33" W= Plat) with the North line of said Lot 29, Block 9, LOCH LLOYD - FIRST PLAT, a distance of 164.58 feet; thence S 58°57'17" W (S 59°09'23" W= Plat) continuing with the North line of said Lot 29, Block 9, LOCH LLOYD - FIRST PLAT, a distance of 34.76 feet (34.81'= Plat) to the Southeast corner of said Lot 1-A2-25, LOCH LLOYD, PHASE 1-A2; thence N 00°08'20" W (N 00°09'12" W= Plat) with the East line of said Lot 1-A2-25, LOCH LLOYD, PHASE 1-A2, a distance of 211.01 feet (210.54'= Plat) to the Southeast corner of said Lot 1-A2-24, LOCH LLOYD, PHASE 1-A2; thence N 01°37'17" E with the East line of said Lot 1-A2-24, LOCH LLOYD, PHASE 1-A2 and the East line of said Warranty Deed recorded in Book 4096 at Page 153, a distance of 148.95 feet (148.97'= Plat+ Deed); thence S 86°13'57" E (S 86°16'02" E= Deed), this and the following five courses with the Southerly line of said Warranty Deed recorded in Book 4096 at Page 153, a distance of 17.68 feet (17.60'= Deed) to a point of curvature; thence Easterly and Southeasterly, continuing with said Southerly line of Deed, on the arc of a curve to the right, having a radius of 100.00 feet, an arc length of 90.88 feet, a chord bearing of S 60°11'49" E and a chord distance of 87.79 feet; thence S 34°09'38" E (S 34°11'43" E= Deed), continuing with said Southerly line of Deed, a distance of 39.53 feet to a point of curvature; thence Southeasterly and Easterly, continuing with said Southerly line of Deed, on the arc of a curve to the left, having a radius of 316.00 feet, an arc length of 285.68 feet, a chord bearing of S 60°03'35" E and a chord distance of 276.05 feet; thence S 85°57'34" E (S 85°59'39" E= Deed), continuing with said Southerly line of Deed, a distance of 135.16 feet; thence S 84°01'18" E (S 84°03'23" E= Deed), continuing with said Southerly line of Deed, a distance of 58.71 feet to the Southeast corner of said Warranty Deed recorded in Book 4096 at Page 153, also being a point in the West right-of-way of said Highland Ridge; thence S 07°09'36" W (S 07°07'31" W= Plat) with said West right-of-way line of Highland Ridge, a distance of 170.29 feet to the Point of Beginning. The above-described tract contains 115,126 square feet, or 2.64 acres, more or less.

AREA 4

All that part of Tract I, LOCH LLOYD - FIRST PLAT, a subdivision in the Village of Loch Lloyd, Cass County, Missouri, according to the recorded plat thereof, lying Easterly of GRACE DRIVE, a private drive, all in the Northeast Quarter of Section 8, Township 46 North, Range 33 West, being more particularly described by Edward K. Dannewitz, LS- 2664 on this 24th day of June, 2024, as follows:

(Note: The bearing system in the following description is based on Grid North, Missouri State Plane Coordinate System, West Zone, NAO 83. Holding the bearing of Northerly Line of Tract G, LOCH LLOYD - FIRST PLAT.)

Commencing at the Northeast corner said Lot 6, THE MEADOWS AT LOCH LLOYD PHASE 7, a subdivision in the Village of Loch Lloyd, Cass County Missouri, according to the recorded plat thereof; thence N 86°41'25" W, along the Northerly line of The Meadows at Loch Lloyd Phase 7, a subdivision in the Village of Loch Lloyd, Cass County Missouri, according to the recorded plat thereof, a distance of 205.01 feet; thence S 70°00'29" W, continuing along said Northerly line, a distance of 180.81 feet to the Easterly right-of-way line of Grace Drive, as it currently exists; thence N 06°50'51" W, along said Easterly right-of-way line, a distance of 53.71 feet; thence Northerly, continuing along said Easterly right-of-way line, along a curve to the right, having a Chord Bearing of N 09°15'26" E, a Chord Distance of 274.62 feet, a Radius of 495.00 feet, an Arc Distance of 274.62 feet; thence Northerly, continuing along said Easterly right-of-way line, along a curve to the right, having a Chord Bearing of N 26°53'07" E, a Chord Distance of 14.36 feet; a Radius of 270.00 feet, an Arc Distance of 14.36 feet; thence Easterly, along a curve to the left, having a Chord Bearing of S 19°35'36" E, a Chord Distance of 13.38 feet, a Radius of 9.00 feet, an Arc Distance of 15.08 feet; thence S 67°35'43" E, a distance of 19.03 feet; thence Easterly, along a curve to the left, having a Chord Bearing of S 80°14'29" E, a Chord Distance of 249.58 feet, a Radius of 570.00 feet, an Arc Distance of 251.61 feet; thence Easterly, along a curve to the right, having a Chord Bearing of S 82°10'27" E, a Chord Distance of 197.04 feet, a Radius of 530.00 feet, an Arc Distance of 198.20 feet; thence Easterly, along a curve to the left, having a Chord Bearing of S 85°09'06" E, a Chord Distance of 246.14 feet, a Radius of 520.00 feet, an Arc Distance of 248.50 feet; thence Easterly, along a curve to the right, having a Chord Bearing of N 87°17'22" E, a Chord Distance of 326.83 feet, a Radius of 1530.00 feet, an Arc Distance of 327.46 feet; thence N 02°08'23" E, a distance of 157.27 feet; thence S 87°35'51" E, a distance of 86.64 feet; thence S 86°44'07" E, a distance of 81.25 feet; thence S 86°58'15" E, a distance of 80.63 feet; thence S 86°18'31" E, a distance of 96.82 feet; thence S 86°32'11" E, a distance of 94.65 feet; thence S 65°25'42" E, a distance of 85.38 feet to Westerly right-of-way line of Missouri State Highway Route D (Holmes Road) as it currently exists; thence S 09°28'40" W, along said Westerly right-of-way line, a distance of 191.13 feet; thence S 03°41'01" W, continuing along said Westerly right-of-way line, a distance of 170.40 feet to the Southerly line of the Northeast Quarter of said Section 8; thence N 86°41'25" W, along said Southerly line, a distance of 1187.04 feet to the Point of Beginning. The above-described tract contains 434,943.36 square feet, or 9.97 acres, more or less.